

Sunsites-Pearce Fire District

SERVING RESIDENTS OF THE SUNSITES-PEARCE FIRE DISTRICT,
AND NEIGHBORING COCHISE COUNTY

Mailing Address: PO Box 507, 105 Tracy Road Pearce, AZ 85625
PHONE: (520) 826-3645 Fax: (520) 826-3586

Fire Chief's Report for August 20, 2024

Call Volume as of July 30th:

July Call Volume: 82

Fire: 37 **EMS:** 45

2024: 480 Total

Training:

- 1. Monthly EMS covering airway and respiratory emergencies was taught by PHI air medical.
- 2. Monthly fire training tomorrow will cover first responder operation at HazMat incidents and the use of air monitoring devices.
- 3. Completed CPR/First Aid class for Pearce Elementary.
- 4. We have 2 members enrolled in Arizona State Fire school which is a weeklong conference the first week of September. Their enrollment was funded by scholarships.

Wildland:

- 1. Despite the amount of rain received, we do continue to have wildland fires mostly started by lightning
- 2. E308 is on assignment in California.
- 3. One Volunteer is on assignment in Oregon as a Medical Unit Leader trainee.

Out of District Services:

1. Work continues with the county assessor's office regarding the Dragoon annexation. Will become an agenda item when boundary issues are resolved.

Emergency Medical Services:

1. AZDHS has responded to our rate adjustment application with the following numbers.

Base Rates	A.L.S.	B.L.S.	Mileage	Standby
Current Rates	\$1,052.48	\$1,052.48	\$21.05	\$263.11
Applicant Proposed Rates	\$1,800.00	\$1,800.00	\$21.05	\$450.00
Bureau Proposed Rates	\$2,014.85	\$2,014.85	\$13.53	\$503.71



Sunsites-Pearce Fire District

Serving residents of the Sunsites-Pearce Fire District, and neighboring Cochise County Mailing Address: PO Box 507, 105 Tracy Road Pearce, AZ 85625 Phone: (520) 826-3645 Fax: (520) 826-3586

We have accepted the Bureau's proposed rates and are awaiting the final signature from them for implementation. I was able to talk with a supervisor in the office and they assured me they have not forgotten about us.

Hazardous Materials and Technical Rescue:

1. Nothing new to report

Maintenance

- 1. E302 suffered a failure related to the foam system while receiving its annual pump test from our vendor. The failure resulted in a fire the caused additional damage to the Engine. E302 was sent to a third-party maintenance shop in Phoenix for diagnostics and repair. The total cost is estimated to be around \$3,800 for repairs and completion of pump testing. Due to the fire, the insurance company and lawyer are involved to determine liability for the damage.
- 2. Other minor station and vehicle maintenance continues.

Communications:

- 1. We received the Responsive grant from the Legacy Foundation in the amount of \$4,630. This grant is for the purchase of a device to monitor carbon monoxide levels in patients. Acceptance of this grant is on the agenda for tonight.
- 2. FEMA awarded our AFG grant request for new SCBAs in the amount of \$222,240.95. This grant requires a 5% match and is on the agenda for further discussion tonight.
- 3. Our corrected budget was submitted to the County before the deadline on Friday and they confirmed receipt of the submission.

Staffing

- 1. We currently have a Full-Time Paramedic vacancy that we are actively trying to fill.
- 2. Most part-time and volunteer employees have been engaged with training and staffing. We have a new employee on orientation and additional applicants in the hiring process.